Jan 184. R. Praid a der to a state inform Field Notes collected by ill. & Peck, Brilish House 1. in red - , from growing ... the ... are gen 2. Some as preceding. 3. Pared as preceding. the roder; flowers light furthist; food and 2 3 fourted. de pre ridges; etem prostrate, 2-4 jt. long. I fer fine rigges. I fin from redger; flowers afrerouly in the I per jime redger. In often find udger. 12. I when by a fte night in thickets; great dock, in In fine ridge thickets, climbing high over show amalt true; I sent meanly white, ovoid, be in. low

12. Paracetic or various 2. mels, fruit white, rooms, 1, ... low, 13. a weed in fine redger. 14. a prostrato weed in fine ridge, 1-5 ft. long 15: In thickets; roots with the odor of wintingreen 14. da thickets; a show 4. 2 ft. high. . 7. i etraggling viscid weed in open ground. 18. a spreading, wasty should or small tree; fruit scarlet. 19. a good-signed true; flowers blue. 20. a low whenh in thickets. 21. a spreading about or small tree; fruit white. 22. In pine ridge thickets. 23. a show with smooth bank and very hardwood. 24. Scape and leaves in large clusters and very short thick stem, from a thick, creeping root a tock; fruit tright red. 25: In prime ridges; somewhat a toloniferous. 26. chi più ridges.

27. In pine udges. 28. Same as last; stems 4-6 ft. high. 29. In five ridges; prostrate, a bundantly branched. 31. In la ge chestere in prine molges. 32. I dall but, somewhat a hourtby a low, petala translusement, while; fruit purple; in fine ridges. 33. In pine rifge thicketo; a shoul, 34. 2 medium siged should in print ridges. 3: In fine redyes; a wine climbing 10-20 ft. ver a spreading shout in price ridges In fine ridgen; teaver very minute; flowers while or hale funk. i common weed fofen time ridges. I hady wet frime redyen. this ridge and reashore. of Shady fine ridges.

42. In fine dyes, 12 oft high. about a cantations; not generally distributed. about , ilaulations. Then fine redges. re. Wit fine ridges. Samue preceding. Some as preceding. town as preciding. I we as preciding Same as preceding. I wanty ground. In wet fine ridges. In fine ridges. Some as preceding. Isa shallow freshwater. Ofen him ridge. Same as preciding.

41. Wet ohn go and. 62. Same as 41. is. Wet frime redge. 64. In thickele; loosely climbing. 65'. a low about in open thickets. 44. Same ax 45: 67. a should in fine redy, this web, 1 , sittle agts 68 i should 10-20 ft. high in thickele. 49. In low ground, often a large clusters. 91. I . ofen sandy ground. 71. June as 70. 72. In shady, sandy ground, 78. In large clusters in marshy ground. I ahrub in thickels. 75. I wordy ground, 74. In wet savannas. 77. James 12 76.

78. In soundy open ground a low shrub. 79. a high climbing wine in low grand; flowers at first grunsh, later tinged with red. 80. Jamely open ground; flowers purple. 12 In much about pools and logoons. 83. a shout with running on climbing branches 10-30 ft. long, with circhose livings. 84, In wet sends 85: In darup partly a haded ground, 86. In savamat. 87. In open cut ground. P8. Lame at 87. " c. Same as 87. 90. a should, 8 + 2 oft. high, in openings of the youth ". whendant in wit savannas, ? I. a should or chearf tree with a month white war he and hard reddish wood, in out y round.

93. den tricke a of mys of the orest, chimbing 17-20. f. 94. I long atterned, toosely preading weed in demportun 16. In openings of the jonest, 10.15 ft. high; plower blue. or. In opinings of the forcet; 4 ... ft. high; drupelets bright The. 98. 2 tall shoul; fruit dark purple; in dup forest. 9%. In fresh water; flowers freezh. w. In openings of the fourt; 8-13' ft. high. 11. Abruba anall tre of niffuse habit, growing 2. h small shout in thickets; drupes 2. seeded, purplish black, Edeble.

103. abrendant in sandy, saline soil; etem creeking,

10.4. a partly e'a bing - hout, or pt. high; plowers in the and, fruit willich freezele. " ? would tree in wet ratine soil; flower oping getto: the turning red. 1. c. i harach in marious amall trees in fine ridges 107. In openings of the porest; 5-8 ft. high. Clinking wer should and small true, Especially mang row in soline sevan fr; flowers while with yellow center. 109. In opinings of the deep porest; a 13 ft. migh. abundant in sandy cultivated ground. . III. In mounty growingt, a should on low spreading or decumbert true. 14. In sevampy ground, a small time. 113. I went ground; much branched, spreading or decembert; 2. eft. high. 115. In open, on thivated ground.

116. I rope , andy goo of, worthy - lage clusters. 118. a small tree in dich farests; fruit yellow. 19. In thickets, 4-8 ft. high; flowers while on frinkish, fruit dack purple. 120. In cleared ground, forming tring. 122. In durch zandy ground, 123. In darge clusters in swampy ground. 124. In harthy open ground. 125, In large clusters in ever you and. 124, a medium sized forest tree. 127. I preading in patches in slamp sand, round. 178. In open sandy ground: flower light yellow, the standard wo or less kurplish brown. du sandy ground; creepin sterns 4-3' pt. lo y. In large clusters in down savannas mean the eastere. 132 " a wet anvannas; flowers frink- jurfle.

133. And et savarias.

137. å high shrub in Thickete; a ton ena purplish

135: a short or a wall tree on thickele; a tannewa

" . An zava mar.

137. Same as 134.

138. Samas 134.

139. Suma a 134.

170. In high sandy print oudges.

14%. Same ax 140.

143. Jame as 140

144. Damp savannas.

145', Same as 144.

144 Same as 144.

147. Ohn ground; Sowers white.

148. A pen ground; flowers pale la ve ider or white.

149. In your road a chief, - e ft. high. 180. In seathered tiste in open so my ground. 151 of a wet savarnad. 184, der wet openground; wide spreading and abundantly transher 155: In open ground; flower opening at wind day.
156. Widely creeping in partial shade. 157. In danch grown d. 58. High climbing in thickets. 159. In soup, fartly shaded ground; y towers white.
100 In south open ground; stems long, procumber t; flowers frankish purple. early white, terries in it should in their the ta; " lowers fresplish cet. In Samp woods, raprophytic; flowers dult la vender.

144. An darref zavarmas.

165. I a mud.

164. a high zhrub dup forest.

167. In open sandy ground, in dense fratches, 4-5: ft. long, suct or decumbent.

168. In party open, sandy ground; 2. 6 ft. high, erect on's authorited by other plants, fruit furplish black.

189. a low a hour in open sound,

branching from the base.

71. a slander about, 4 10 ft. bigh, in openings of the forest; flowers right purple.

72. In deep, dansp words; stema langand creeping.

173. a strub 6-8 ft. high, worth in glading the duck found, flowers frich.

174. A small defere met tree with wider spreading, often prostrate Trancher and purplish 6 lack, drupaceons solible finil.

17: I wear's a four ground to vera flesh-colorede

- 176. In many, open g o d, prostrati.
- 177. I wet sout forming a dense, tought try.
- 178. In wet ofen fround; 4-6 ft. high.
- 179. In sarry open grown of.
- 18). Indry, randy frime redges; plantabenda the
- 181. In dry sandy prine ridges, from a dup a trong root; Abours pew, dull furfle, friendly be coming greenish.
- 183. a high climbing owne in damp half a had; flowers for only in the foremore; fruit orange to scart.
- 181. I noten ground, wide spreading and freely branching, flowers frink purple.
- 185: i should on devanf tree in wet satine soil.
- 184. In worst openground, 2-4 ft. high, widely branched; flowers bright Here.
- 187. In moist open ground; Howers pale yellow with procon center

188. High climbing in thickets.

189. In moist lay shade.

190. den swampy gron and; florous while.

191. In swampy ground.

194. Mostly in low trees and shrubs, 2-5', to high.

195: In tow thickets; 3-4 ft. high.

194. a tall tree with smooth bank.

197. In dup foresto.

198. a shoul in dense thickets.

177. a slender, long-tranched should in dup woods.

200. a tall about in thickets.

201. In wet ravannas.

272. i abrub in dup woods.

203. a should or small tree in close thickets.

204. a shoul in close thickets.

205'. In open ground; 2-4 ft. bigh; flowers pinkapurple.

209. Sunsa dy ope . no . d, plootes z brighte franziste.

210. June az 208.

211. In sandy open y a med, flowers on gl.

212. In sandy ofen ground.

213. In open ground; 2-8ft. high, flowers frink purple.

214. In sandy ofen ground.

215. In partly open ground; 2-4 ft high.

212. In open ground; 3-8 ft. high.

219. In low frame right thickets; 2-10 ft. tall.

220. When sandy ground.

221. In shade about buildings.

222 harfur manafy ground.

223 In day sandy ground.

224. In open sandy ground.

125 Same at 224.

224. In dup wet woods.

227. An early half shade; fruit bright blue.

228. a very small spreading should in saline severely ground.

229. i good siged forest tru.

230. In wet half zhade.

231. In thickete, climbing 10-80 ft.

432. a shout 4-10 ft. high; flowers dull yellow.

233 a high climbing vine in thickete.

234. In wet halfzhade.

235. In wet said; flowers yellow. 237. a small true in sandy, somewhat a her grandi

235: Rahrub in glades of the forest; wood resembling Fambucus.

239. a small tree with light, roft wood.

240. a small spreading shreet.

241. In low ground of the prime ridges; stern 3 in, in handy

242. In spen sandy ground flower opening for two or three bours in the afternoon.

244. Climbing 10-40 ft. over absurba and trees.

245. a. show b 5-2 of high, in open ground.

246. a wede spreading z hreeb, 10 ft. bugh in openy ound of bowers white or prink trutad.

247. In pools in fune ridges,

248. In open sandy ground.

240. In low pine ridge thickets; a shrubor as sall tree.

251. In open granty pluces.

152. Climbing 20-30 ft. in thickets; flowers white, som dicidnous.

253. Ramall a bout in thickets,

254. I went a perground in anall chesters, 4.8 ft. ligh.

254. In dry price ridges; stem prostrate.

25.8. a show smalitue with white flowers and soft buttle wood.

240. a high climber -in closethickete; plowers greenish white. 261. a moderatily high climber in high thickets. 263. In grassy places. 244. a small slender tree in close thickets. 247. a small shout in wet savannas. 268' In sandy ground; 8-6 ft. ligh 269. In wet sand. 27%. d high climber in fourte; plocoers white. 272. is should 3-10 ft. high, mostly in cultivated ground; flower while, berrus green. 273. il high climber on forests; flowers white. 274. In Hickete; flowers greenish white. 275: a high climber reaching the tope of large forest here; flowers at first ysllow, then turning 276. a climber 10-30 ft. high a thickets; flowers bright scarlet, becoming purple.

- 277. Le cellevated groude ed; ray a cream coloned.
- 278. A slender drooping skruben deep skade.
- 279. dr. a hade.
- 250. In open sandy ground; eterns creeping, 2-10 jt.
- 281. In sawly open ground.
- 282. In saidy open ground, 4.8 ft. tall.
- 283. In partly open ground.
- 284. Imopenings of the forest; a zte the showth, 10-30 ft. high, clinding by zupporting itself on the plants.
- 255: I motion sandy ground; prostrate, 3-7 ft. by, widely branching
- 207. In open ground; flower white.
- 288. den open sandy ground; dismach branching, 3-7 ft. long; flowers light, inexple.
- 289. Les penground; srect, freely branching; suft. tall.

290,21 pt. tall, suct we have in open gound; in foresta very slunder and supported by other plants. 291. a high climber in throbets and fourts; fruit scarlet not falling till after the blossering the following egs. In thickete a undopen ground, non-retires chimbing over tushes; fruit oval, purplish black, I wich ton-g. 293. I preading and freely branching; flowers small, white, very laidnows. 294. An lower parts of trunks of trues in low woods; flowers light furflish, 295. In open ground, flowers to eght blue. 194, Inopen ground. 2.97. In dant open ground; assmall showth, flowers tight purhish purple,

298. Hertace es or hubby, + Ift. high; fto ver. while, Jutala very decidnous. 299. In open ground, corolla coliete, frink spotted. 3.0. In open ground, 5' 12 ft. high. 311 I nopen ground, 4-8 pt. high; plowers tright blue 303. In openings of the forest, 4 ft. high. 304. In cultivated ground, 2-5.ft. high. 305. In wet after ground; a straggling showl; wood roft, white. 304. Herbaceons, finally frutexcent, 6-25 ft. high; in opening of the forest. 301. In Samp open ground. 308. a high climbing vue un forests. 310. In open-ground; totale printist, sasty deciduous. 311 In rich open ground; corolla small, white, Early deciderous. 312. An openings of the youst. 313. In dup wet woods.

314. Len planelation 2.

315 den oderately high a timber in thicketa.

316. I a open daruh ground; futale pink-purple, falling early.

117. a bout plantations.

318. About plantations and in openings of the forest; corolla dull light red.

519. R low should in damp ground corolla tright

320. a show b with hard, light brown wood, in ewampy rative ground.

321. a chuder chrieb, 4 6 ft. bigh, in few swampy

122. Abundant on thickets and forests, warying from a forest after the diigh. It is a climber, 100 ft. ligh. 123. a rather high climber in forests and thickets.

324. a high climber un forests and thickets; berries dult yellow.

325: a chrub with rough ba ka I softwood, in evet thickets. 327. about flantations; corolla marly while, fallings arry. 328. In down thickets, aboutby, 5-8 ft. high. 329. a spreading on prostrate about in open ground or thickela. 330, In ope a ground. 331 In open and cultivated ground.
352. Exect and aboutby on a high clim ber according to si treation. 333 a shout or amall tree in thickete; flowers white.
334. a medium eigld forest tree with hard brittle, tight coloned wood. iss. a climber in thickets. 136. a elender, more or less clumbing should in liamall forest true; flowers greenech. 338. Inopunground, 4-10 ft. high; flowers a cartet.

- 334. " a ratt tree in thickets, with hard, light reddish
- 340. a medium anged or small forest true; plocours printe purple.
- 341. a should or small tree in foreste.
- 34%. a rather high climber in thickets; flowers creame colored with purple center.
- 343. a chrub or small straggling true, 344. a very high climber, reacting the tops of tall forest trus.
- 345, à about on tall alunder tre inforeste or open
- 346. a small fourt tree; flowers greenish.
- 347. " small about on forests or open ground; plewers tright blue, very decidnous.
- 348. a should on small true in thickets or foresto; fruit a drupe, red or purplish, oval, an ench in less long.

949. In a all colonies on forcals.

350. I . . open ground, 2 & pt. high.

35%, a small about a damperoods flowers asacht.

312. a medium sized forcet tree with hard, light colored arod.

353. a high climbing view in forests.

354. il abrub in opin a a roly ground.

35'5'. Mortly in saline awareps.

356. In open, Expecially outtrated ground.

357. Her baccour, finally a brubby, 6-20 ft. high.

35'8. a should or tall, very slender tree with the branches electived at the top.

359. Mortly in small colonies; 4-15 ft. bigh. 360. On beaches, flowers white.

961 du reasbour.

362. On sandy reachort 2; stems very long and creeping, en dune colonier.

- 863. In low open grand, 4 8 ft. high.
- 364. I mily andy fine udge,
- 365 in dry price ridges, pros trate branches sometimes of thong.
- 364. In rich, partly open ground, 8-12 ft high, with odor of sassafras.
- 867. A large prostrate shout; hrupe about wal, zin, long, scarlet; on seashour.
- 368. An reashous; a large, spreadingor frontrate shrub or small tru; drupe whom toval, 1'2..... long, white.
- 369. In sandy, soline soil; j'bower light yellow.
- 39 . . a cultivated ground, low, much branched.
- 371. In amed.
- 192. In low ravarenas.
- 373. A large forest bree with light coloud, but the word and branches horizon tal and clustered at the
- 974. a readium sized forest tree.
- 375: a mall or medium sized forest ice

- 374. a shrubor i makt tree in I be journets
- 377. I .. 2. va. frs.
- 378. a shout along streams.
- 379. a rather high climber; fruit-harrs stringing,
- 980. i climber in thickets:
- 381. a high chimber in forestr.
- 382. i about, at first maturity burbacious, 10 30 pt. long, climbing over thickets.
- 383. In open rech ground; flowersbright blue.
- 364. a small shout in sleep foresta.
- 385, it slender about in low dup jourste; flowers
- 387. a strub or small straggling tree in low principality; plowers white.
- 388. å high climber in duf foreste, plowers duf blue.
- 389 da lore joualo.

- 391. 2 elender, half-climbing should and dupwoods, flowers white.
- 372. In hive ridges.
- 393. a large, wide-apreading, generally clustered true in luck foreste; wood very soft, white and flaky freit 2 in. in diame tet, and green.
- 394. a show in leef shade with long, slunder, drooping branches; flowers so artel.
- 315: In low ground.
- 374. a shout with long, vine like branches, rowning tangled thickets.
- 397. Whigh climber in luf forests.
- 348. In wet ground.
- 379 å large jorest tree in soline sevene pr.
- 4.0. a small tre un fourto.
- 411 is about or arrall tree in dul foreste.

402. i about on an all tree - open ground; plowers white or friend trintel.

463. Banall tree in deep yourte; plocours white.

404. in a bundantly branching, decumbent planet on ma brocker; flowers light ilu.

405. Climbing 2 3 ft. high in ratine swampy ground.

404. I nopen price ridges; flowers dock purple.

407. In water or rund.

408. On story hills in sleep woods.

409. With arross on trehunks in low woods.

410. In swampy ground.

411. In open fine ridges.

412. Same as 411.

413. In wet ground a bout pouda.

414. In swampy ground, in durse patches

415. In swamps, more a lux reallised.

414 In hell sedes in bufwoods, bolf climbing, 15-10 ft. buy, in fine ridges, 8 rect, 2-4 ft., flowers scarlet.

417. In open damp ground. may 4, 1906.

4/8. In ders patches in shallow water and mud about founds.

420 In much about ponds.

421. a large forest tree; food large, flat and thin.

422. a small tree in deep foreste an high ground,

423. In avanty ground marrious; plants widely spreading and execting.

424 In open lamp ground rear atreams

425; il show b in duch words; plowers premishealuti.

426. amoderat riged tree om hillsider.

427. I very large climber reaching the tops of the tallest trues; flowers highl purple.

724. a high climber in As 3 pounts.

429. In swampy growned.

- 430. a ste de straghing hout in jour la, j'to ours scalet.
- 131. I high limber in deep foreste; florous yellow.
- 432. In coot muddy ground,
- 433 holimber in foresta; petata white.
- 434. " undimm aiged fourt tree on hillsides
- 436. a streading ansocialent herborn sea beaches.
- . 59. Building sized tree in fine notyes.
- 438. I re saline sever utry ground.
- 439. A medium siged granted and crooked tree near nall water.
- 440. In cool muddy places.
- 441. In rendely ground.
- or mall true; and soft.
- 443. I showy orchid mostly within 20 ft. of ground in the fourts.
- 444. In about and true in open woods.

47.1. In wich ofe your rol. 447. a small till in thickets; fruit tark purple, oval, 34 in long. 448. a large show be with very long, drooping or half climbing branches; in dense thickets in rich ground. 449. a clienter reaching the tops of large point trees; florvers pale yellow. 450. Like the preceding; flowers greenish white. 45%. In low rich ground: 2 8 ft. high. 45'2. In sandy when ground 45.3. Same at 45.2. 45'4. a struct in price ridge thickets. 455: a slunder, half churching shout in thickets, 456. I Amall spreading tree in prine ridge thickets. 457. il high climber in durse forests.

458. a small tree or shout in fring ridge thickets.

434. a mall the mostly in lease low woods; phowers greenish white.

440 is slender tall tree with trongoutat aranches clustered at the top.

461. å shrub in prine ridge thickete; plowers white.

462. ? show in low woods; plowers white.

44 \$. Forming leave patches in soundy open ground.

465. I shrub un low dense forcata; flowers while.

464. In thickete and open woods, climingon trees sometimes 20-30 ft.

467. Herbacions on partly shrubby, 4-10 ft. high, inthickets; flowers bright yellow.

468. a shrub in frieridge thickets.

469. In fresh hands.

470. 3 medium aged fourt tree.

471 amedium sigled forest tice

473. In sandy open ground.

474. In brachish water.

475. In soundy, partly shady ground.

476. Same ax 475:

477. a rather high climber in thickets and spen woods.

478. In open dank ground.

479. In darup spur woods.

480. a should on small tree in thickete; fruit depressed globose, dark purple.

451. Relender vine in open woods; fruit dark purple.

482. I small tree in open woods.

483. a large forest true.

454. In cultivated ground.

485: In cultivated ground fruit green ish white with fine , surple a frote.

484. A large forest tree.

487. In durch woods.

488. In cultivated pround.

459. In open ground.

490 knope andy ground.

491. In a cut tivated growered.

492. In thickets, climbing 11 20 gt.

493. In danch ground.

49, i should or small tree wholly or frankly & friply to.

495. a high climber - foreste.

496. B medium sized forest true.

727. a partly Epiphytic tree.

478. On logsand true a mong more.

499. Same as 498.

500. a moderately high climber fruit purplish black.

· 5:01. A good sized tree in joursts.

sor. In spiplytic should or small tree; fruit dark ud, & dible.

5:03. å slender skrub in thickets.

504. In damp shade, 3-10 ft. high.

505' Climbing 10-30 ft.; fruit white, I in long.

506. a slender halfelimbing shrubwith very long tranches, romening over thickets.

507. In duel jourta.

50 K. in efiftyte shout on palmes.

509. In wet shady youred.

5%, il small tree in foreste; plowers while.

5'11. a small tree in forests.

512. In fourts, chimbing 10-20 ft.

513. Party climbing, growing in sleve marker over

514. Epiphylic, usually high up intrus.

515: Epiphytic, mostly low on trusher, were

516. Epifelylie, churching on trunks of truson trailing from triviage.

517. In danch words.

518. Paracitic ou forest trus.

5.19. Trailing over the ground and decayed logs.

520. In a addy sound.

521. In da up forests.

5:22. a mad forest tree with me long a lender or a robes

523. I anali jouest tie; petals white.

524 In danch open ground.

525; In cultivated from.

526. In darup woods; flowers, imple.

527. In damp woods; flowers light furplish.

128. On branches of true, rather low.

629. Mostly on tree trunks a sof licaying logs.

530. On true, fruit franky white, very roft.

5'31. In fourte.

5:32. In wet open yound.

5'33. In forests, 10-20 ft. high, very alunder and free by branching; supported by environmenting vigitation.

134 de Luf foreste.

135; In foresta.

534. Le statlour vaturand mud.

537. La worddy grand,

5:38. Worthy among leap stems of palme; sterile grounds often 12-15 ft. long.

539. a great clumber, reaching the tops of high jonathers.

54: In wet woods.

541. In mudoly ground

542. In open waste ground, 2-5° pt. high.

543. il shrub 6.10 ft. ligh, in thickets ownstyround.

34%, In dant open ground; 3 oft. ligh.

545', a moderate size, semi-spiphytic true.

546. In mudor water; flower tight purplish.

549. In open waste or cultivated ground 1-5 fthigh

5.48. a tale showt, flowers frick.

549. R strong climber in thickets.

15'0, il shrub om never banks.

, 5%. In thickets; 4 ft. high, abundantly was alud.

552. Le luf 2 hali, 3 . 5 ft. high.

5'53. a moderate ziged forest tree, procourse buti.

3:54. Morthy on rocks among moss.

555; On rocke and trucks of true.

556. In Micketz.

357. In partly open ground; 2 4 ft. high not at aboy.

558. åbrudant along siver magine, 2-4 pt. high; Horvertwhete:

559. Mostly along streams on rocks and true tounks.

5'80. along lower comment of streamers, 20-30 ft. high.

5'61, 12 moderate eight forest tree.

562. In thickets.

543. E malt shout or niver margins.

5'44. In thicket.

5:65. In du li-stade, 3-6 ft. high.

564. In thickets, 2-4 ft. high.

167.

5.67. un all tree with long stende, rellow the transley and red frait.

5.68. a should a river backe fruit bright red.

ilet. u tree on rever bounks.

570. a moderate zigedtice.

671. In danch ground; flowers tight yellow.

172. In rocks among a rose.

573. On cliffs along streams.

574. I medium eyed forest tree with a then hand gettero wood,

575: I about or awall tree in thickets; fruit prick, I'm. long. 5.76. a should in sheep swampy woods. flowers flesh. coloud; fruit dut purplish red.

579. Re medium siged or small tree with long drooping branches flowers while.

578. W medum siged tree in wet ground.

579. a shrubby chimber in duch woods.

3.80. åsle di droop gahreel in evet woods

581. i high climbing alender vine in swampy ground.

5.82. a franciti s

5.83. a small tree in deep woods.

5.84. a shout in thickets.

5:83' allach branched; florous while, in cultivated from.

5.86. In fresh pools of the prine redge.

587. a shout 10 ft. high orders, in prine ridges flower light purple.

5:88. In large clusters, 4-5 ft. high, in fine ridges.

189. In pine ridges; a clustered show b, 12 ft. high a less; flowers a carlet.

5.40. In fine ridges 10 ft. high or less.

590 du wet jame ridger, 3-6 ft. high.

592. In wet hime ridges, 3-4 ft. high; flowers, align dow.

193. Thickets, 10 ft. high on less, chinking among whombs.

544. Warmall should of dry friend ridges.

- 596. " freely branched should 15 ft. a less high
- 5.97. a medium signed fourt tree.
- 598. Le fresh jooks.
- 5.99. In fourts, climbing 20-30 pt.
- dark. red.
- 601. Chimbing 10-10 ft. mostly on shrubs and small trees in shepwet woods.
- 402. Climbing 10-30 ft. in thickets.
- 603. In open ground, de cumbent, a tourdanty.
- 1 in or less media. etc.
- eos: In dup foresta, 15'- 20 ft. high, 2 in. or less in diameter, leagues 6 ft. long.
- 4.4. It after ground, freely branched and spreading,

607. Elong libeliet and an all treasure the ground. 1 608. Chimbing 20 30 pt. mostly and thickets. 609. In swampy foresto, 3-5. ft. high. 610. In wet yourts, 45° pt. high. 611 In dup por ests. 112. On story ground in dut fousts. 613. In Luk woods, 1-4 ft. high. 614. In cultivated ground: conotla purple. «15: In dut fourt. + 16. Less than I'm. in diameter and up to 20 ft. high in dupwoods. 417. i amall, very stender hu in dup woods. 413. 10 church . thicketi. 619. In thickets and fourt borders, 1-4 ft. high, supported by surround ing vegetation. o 20. In wet woods, generally our trucks of true wear the it base.

621. Charting 2 - 4 pt. a thickels.

422. i shout 4 10 ft. high in wet woods.

623. a shout 10-3. jt. high in thickets or fourt borders

624. Mallyon Jahres.

625. On true he of various trees.

EL4. In danch joursts.

627. In dup wet forests.

e 28. With 627.

624 du open sandy or dry ground.

43. Inopen ground and thickets; flowers white or frinkish.

631. On trunks of true in swamps.

43114) le shout or small true; petals 4, colité, 1 in long;

étamens munerons,

632. a tail, very slender tree; food terete, 3 in. long.

433. A high climbing own in thickets and fourt worders.

63+. x. The ground and thickete.

- 635. On her true ka in swar py u vods.
- 476. On the trunks in dupwoods.
- 637, In open ground,
- 634. In dut, wet woods; plowers green.
- 639. a small true.
- 640. In wet woods; somewhat shrubby at base; 4 ft. high.
- 641 In Such swampy words, on trunks of small true was the ground,
- 442. In somewhat ofen, evet ground,
- 643. With 642.
- 644. a great fourt tree, with long, hongintal, order spreading
- e45; On trunks of trus in extractions.
- white or light purple.
- scarlet and ys llow.

448 de leguerols.

649. Indure patches dry voods.

650. a large about or small tree about forest borders

65%. A shuder should inthickete.

452. In swampy forests, growing un small clusters

453. In open dry ground, 3-4-ft. high.

454. a slunder should in wet thickets.

655 On time ka of trees wear the wast.

& 5'4. a slunder vine climbing 20-30 ft. ... thickets.

657. In andly grand.

658. a struction small tree in thickete,

45'9. Forming large clusters on the trunks.

641 Worthy on the higher branches of tall trees.

661 In dupwet woods,

u62. In rough woods, generally our ochs.

667. a long stender mine in thickets.

464. Escaped from cultivation in pastiena and waste zo od.

- 665: In the cheta and oper ground; flowers ye llow.
- 666. a large chimber, some time & piphytic.
- 66? i small tru with very hard light reddish wood.
- 645. a showed should on wooded hillsides.
- 569. a long slemmed chimber in thrickets; flower bright. bluish fresple.
- 470. a small forest tree with hard, light brownshower!
- 671. It small forest tree with rather hard light colored wood; flowers white.
- 672. a strongwoody climber.
- 473, is small tree with hard light coloned wood, and low ground; flowers white.
- 674, 6 small about in fin ground.
- 675. 6 small forcet true; fruit red.
- 1074. on open ground, forming dense hatches; flowere
- 677. In part shade in dry prine ridges.

- 198 a stort, stightly woody climber low fine ridge thickets; plowers trieght purple.
- 679. a houb, to 20 jl. high in severely somewhat our ground; branches very long, slender and somewhat drooping.
- 680. Forming considerable fratches in dry frie
- 181. In anot ofen fine ridget.
- 682. abundant by branching, slunder, prickly should in dry fine redges.
- 683. In mail-open fine nidger.
- 684. In dry tome ridges.
- (8); In him ridge thickete.
- 486. a small tre with my roft while wood, in
- 487. Andry frime ridges; a shrub with greenish while plowers.

- 688. 2. mall studer tranched. he with in dry fine redgle, forming have patcher.
- 689. a small greatly and crooked tree with scorift foliage and rough bank, in dry pine ridges.
- frale greenish, slightly thingsof with purple.
- petala white or flesh tinted.
- 692. In damp savarmas in prine ridges, in lage colonies.
- 693. In swampy places and along streams in fine ridges
- 694. In small scattered trefts in dry pine ridges.
- 695. In dry pine ridges; flowers deep dull yellow.
- 196. Climbing over thicketin soline soil; corolla cream cotoned, red-veined in the throat.
- 698. On old logs in mangrove sever up.

- soil; jutate transherent.
- 700. In moist savannas of the fine ridgle.
- 701. I low should indry fine ridges.
- 702. Item several feet long, creeping, generally buried in sand of the reashors; flowers cream colored.
- 403. Here up to 12 jt, long, tecombert, growing in dense patches in the sine ridges.
- 104. a strong woody climber in sleep fourts, soft, high, flowers while.
- 705; a nother large shows on the reashous; joliage bale green, flowers greenish.
- 7. 6. On the reachou.
- 707. along streams in dut foreste.
- 708. a small tree in the dup foreste, with hard, light coloned wood.

709. i small shrub, 3 15 ft. high, i leef for ista; flowers grund while; berries small, lightered.

7/1. a shout along streams; corolla dark reddish; fruit mearly in long, bright red.

711. i stender, weak-stemmed planet, 3-9 ft. tall in thickete; petale bicoloud, half fink, half furflish red.

712. a climber in damp thickets; flowers crimson.

713. a shrib 6-20 ft, high in thickete.

714. is show to 15° ft. high in thickete flowers and fruita carlet and leaves a cartet mind.

716. it alender about, 15-20 ft. high; fruit light yellow.

717. a high woody climber; corolla two inches long, light purple.

718. il moderately high, woody climber.

719. " small tree with very hard, light uddish wood; flowers hale greensh yellow.

- 120. it mell the ider branched tree of the deep for st. with land, light wood; florvers while.
- 721. a show with long, ropy, somewhat climbing branches in wet ground; flowers, brink tinted.
- 722. Blong high river banks; shrubby at base, 2-4 ft. high.
- 723. a large but weak and succulent shrub in thickete
- 724 d' slender succulent showb, 4-15 pt. tall.
- 725', a should or small tree; plowers greenish.
- 7.4. a climber, 100 jt, or more ligh.
- 727. a high climber in foreste.
- 728. A large shrub; fruit light yellow
- 129. Twanfy ground, corolla marly white with table and throat purplish inside.
- 730. I almost or small tree with pale lavender, showy flowers.
- 791. Darium banks.
- 732. Bu thady river banks.

- 733. On musky river banks.
- 734. On low now banks.
- 733. In river banks; often on trunks of trues.
- 736. Climbing 30-50 ft.
- 737. I should in wet ground; flowers white.
- 734. In wet ground; as mall granly tree with hardwood.
- 799. a should along streams; flowers while
- 740. In muddy banks of streams.
- 741. In open, expecially cultivated ground; , lowers lig.
- 742. In wet river Tanks.
- 743. a shrub 20 ft. high.
- 744. a moderately high woody climber.
- 745; In thickete, climbing 15-20 ft.; plowers fale ways yellow.
- 144. Flowers crearry white, purple veried at the basewithin.
- 747. I tun 4-5 ft. long, pundant from branches of trees.
- 748. urnang moza high in trees

149. In open places; 4-20 ft. high; struging have inflict a very pareful string.

750. a moderately high climber; stem somewhat wordy.

75%. An high niver bowhs.

75%. a slender shoul; plowers frink purple.

75.3. Scarcely forming a trunk; journe a dures undergrowth over largeareas.

754. a eluder climber in wet ground.

755. a shout 6-20 ft. light fruit red.

754. a mall or medium signiftere with hard lighterboulwood.

757. W short-stemmed climber in swampy ground,

758. In swampy ground.

75.9. In a ballow water along streams; plowers purple.

760 a lender shout.

741 il rather low climber; flowers purple.

762. A low climber, Howers er sum coloud.

743. i high che with a hort scattered springs,

764. Flowers light, unple.

765 å low churber in thickets.

766. In damp open ground.

767. I small tru.

7.88. Il medium siged tree with reft tight with.

761. Var ofen lygrend.

770. Climbing 20-30 pt.; flowers dup purpli.

wood, varigated with irregular, vroken yours opround.

772. la dup damp woods.

773. Forming extensive networks covering whole true; flowers very fragrant.

774. In dank ground.

775: In open ground.

724. a about, 6-30ft high.

777. In part shade in dry place.

- 778. a slender weak plant so earlat in the well, 199. I medium siged tree with hard light colored woodand
- while Howers.
- a large weak and watery should, generally perched on bare rocks on hillinder.
- 781. a fourther with abruptly hounted spines and light yellow wood,
- 782. In pastures and about houses.
- i' small or a redim signed tree; wood white and soft.
- i large which with hard wood.
- 284. In damp woods; 1-3 ft. tall; flowers white, purple weund in the thereat.
- 787. 3 stout somewhat shrubby plant 2-5 ft. high in danch woods; flowers light pinkish.
- 788. 11 tall spreading should in open ground, 789. Churching 10-20 ft.

240. if high very climber as cereding y rootlets; flowers oping right, imply, turning white.

791. Climbing 5'-10 ft.

792. a stout woody climber, sometimes reaching the lope of tall true, sometimes marly shouthy in habit. 793. a small true.

794. I large forest tree with rather hard, light brown word.

795. a rather high climber in foresto.

794. a somewhat stout chimber.

282. il soft succulent should in thickets; plowers very fragment.

744. I very slender, abound noty " anched and drooping shower,

994 il high woody climber.

800, a medium sized tree with soft light Trownish wood.

811. A smallor undimm sized true with hard brownish wood.

902. a small or medinnisized tree with hard light colored word.

803. a www plant in damp woods; plowers white.

- 804. A fourt tree with very hard dark red word with black is of thing.
- 805', In muddy ground,
- 804. In wet ground; somewohat shrubby; 2 5' ft. high.
- 317. a showle, 4 10 ft. high corolla pale vellow: fruit 2 m. in diameter, very smooth, unight scarlet.
- 808. A shout 4-10 st. leigh.
- 804. De high chimber.
- 810. Climbing 30-40 ft.; fruit subspherical, 4 in in drameter
- 811. amdin sigidtre with hard dark reddish wood, fruit yellow.
- 8:2. a moderately brigh climber.
- 813. Climbing 1.10 ft. or more; sometimes Epiphytic.
- 814. Alp to 10 ft. in height; shrully it base; flowers high -
- 815. a wide spreading climber, covering whole trees; flower greenish.

814. A small tree on story hells; vood hard, lask red, with a creamy juice; flowers - marrow.

817. In story hills; stem short, stout; cruping.

818 Quedry rocks.

819 On dry rocks.

820. In dry rocks.

821. a low climber.

822. a high climber

823. a good riged tree with extremely hard wood of the color of

824. In chesters; brancher 3- 4 ft. long.

825. I small tree with hard, light cotored wood and abundant slunder branches; flowers very fragrant.

826. a small true; fruit a carlet.

827. a high stout climber.

828. a high chimber.

829. a small, granly and prickly tree.

830. In da if words, flowers la moder.

831. I small tree with hard wood, in duch fourts.

832. a stout thomy climber.

833. i weed in cultivated and wast ground.

834. I a dry woold hilks.

835. O. Ly hills.

834. Epiphytic on the high tranches of trues.

837. Un dry rocks.

838 4 small tree on stony bille; wood brown and spong.

840. in spiplingtie should with stender drooping branches and wilky quice; flowers yet lowish.

841. if small tree,

842. In westres.

843. a course vine in thickete; flowers scarlet.

844. a small tree with hard, light coloud wood.

845', de shrub in low woods.

846. 6 low vine in thickete.

847. a ale der half "tirebe y shreet ... throketa.

848. In shallow fresh water.

847. In wet ground.

85'0. I wet ground.

851. a cluder should 4-20 ft. high in wet ground.

852. On low sandbars along ivers.

853. Same on 85.2.

85'4 Samax 85'2

85'3' Same as \$5.2.

85.4. a high climber.

957. i tree with hard brown wood,

8 5; 8. it tree with hard red wood,

85'9. A slender skrub.

868 " tall shoul.

841. Warrall tree; flowers white; folliche 3 in long, sleely.

862, " large strong climber; flowers crimson, shory.

863. Open ground, 4-10 ft. high.

864. a shout, le 15 pt. to aph.

865'. a very slender, laff climbing shrub.

846. In danif ground, stem decembent, 3-4 pt. long.

\$67. a slender, drooping shoul.

568. a weak stermed, half chimbing shrub.

549. a shank, 6-15 ft. high.

8:0. a weak stemmed plant, 3 4 pt. high.

871. In cultivated ground.

872. In fush running water; leaves crimson, Entirely submerged.

873. A strong high climber.

875. In open ground; 6:15. ft. high.

877. In swampy ground; 6-12 ft. high, flowers purple.

678. I small tree with long slender branches; fruit orate 1 in. long, with copious light red juice

879. anather high climber.

850. a high elinber.

881. 11 - lender shrub.

884. i about or small true.

85%. a small trio.

884. A rather high climber.

885', 12 slender skrub.

884. I small tre; fruit orange.

888. a slender should in dant ground.

888. il coarse should or small tree along streams.

8tg. a small true.

890. il should or small true.

891. a tall alunder tree in Sump woods; freed resembles that of U.S. species.

492. In dup shade; 4 8 ft. ligh; flower clusters scarlet.

893. (climber along streams.

894. In fresh water.

895: a high woody climber.

894. a medium sized the with hard brown wood.

897. In water or mud.

818. a highiclimber, plowers tight purple.

899. In low him ridges.

900. 2 shoul 2-12 ft. high in zwamps.

901. In warmpy frie ridges.

902. Same as 901.

903. a low shrub in pine ridges.

904. In wet fine ridges.

915: a low shrub; fruit small, tight red.

714. a shrub on small tru.

918. a shrub.

919. a rather high climber; flowers 45 llow.

920. a forest tree with lard, to rownis h wood; flower blue.

924. a high climber.

1. Hemidiodia ocymifolia (Willd.) K. Sch. 2. Polypremum procumbens L. 3. Scoparia dulcis L. 11. Cassytha filiformis L. 14. Richardia scabra L. 16. Helicteres guazumaefolia HBK. 19. Coutoubea spicata Aubl. 21. Chrysobalanus Icaco L. 25. Eugenia guatemalensis J.D.Sm., f. 28. Panicum pilosum Sw. 29. Desmodium barbatum (Sw.) Benth. • 31. Aristida pseudospadicea Hubbard, n. sp. . 32. Clidemia neglecta D. Don 34. Dodonaea viscosa L. 35. Echites cuspidifera Blake, n. sp. 36. Cassia bacillaris L. f. • 42. Microtea debilis Sw. 43. Eleusine indica (L.) Gaertn. 44. Digitaria setigera Roth. 45. Homolepis aturensis (HBK.) Chase Andropogon spathiflorus (Nees) Kunth 54. 55. Sauvagesia erecta L. 59. Andropogon condensatus Kunth 60. Panicum laxum Sw. " sphaerocarpon Ell. 61. 64. Calea Peckii Robinson, n. sp. 65. Cordia cylindrostachya (Ruiz & Pavon) Roem. & Schultes 66. Turnera 68. Tococa Peckiana Robinson, n. sp. 69. Paspalum Underwoodii Nash. 69a. Schreberianum (Fluegge) Nash. 69b. Eragrostis mexicana (Lag.) Link. 70. Thrasya campylostachya (Hack.) Chase 71. Paspalum Peckii Hubbard, n. sp. 72. Aristida divaricata H.& B. 73. Panicum virgatum L. 74. Chomelia tenuiflora Benth. 75. Borreria verticellata (L.) G.F.W.Mey. • 78. Cassia tetraphylla Desv. . 80. Ageratum Peckii Robinson, n. sp. 86. Paspalum pulchellum HBK. Gonzalagunia panamensis (Cav.) K. Schum. 90. Lasiacis divaricata (L.) Hitchc. 93. 93a. Solanum scabrum Vahl. • 94. Calea longipedicellata Rob. & Greenm. 96. Cornutia grandifolia Schauer 97. Cephaelis tomentosa (Aubl.) Vahl. 98, Miconia prasina DC. Ageratum radicans Robinson, n. sp. • 99. 101. Laguncularia racemosa Gaertn. 102. Cithareylum cauda tum L. · 103. Wedelia paludosa DC. 104. Hamelia purpurascens Blake, n. sp. 107. Lasiacis procerrima (Hack.) Hitchc. 108. Rhabdadenia biflora (Jacq.) Mill. Arg.

Olyra latifolia L.

110. Paspalum pedunculatum Poir. 111. Conocarpus erecta L. 112. 113. Melanthera sp. (too old) • 115. Emilia sonchifolia (L.) DC. 116. Andropogon leucostachyus HBK. .118. Tabernaemontana chrysocarpa Blake, n. sp. 119. Heterotrichum octonum (Bonpl.) DC. 120. Sporobolus virginicus (L.) Kunth 123. Panicum virgatum L. 126. Luhea speciosa Willd. 127. Gomphrena decumbens Jacq. • 128. Crotalaria retusa L. 129. Iresine vermicularis (L.) Moq. 130. Spartina Gouini Fourn. 131. Erigeron canadensis L. 132. Polygala longicaulis HBK. 133. Polygala adenophora DC. 135. Calliandra Houstoni Benth. Mesosetum filifolium Hubbard, n. sp. Leptocoryphium lanatum (HBK.) Nees 136. 137. 139. Trachypogon comosus (H. & B.) Nees • 141. Clitoria guianensis (Desv.) Benth. •143. Lechea Torreyi Leggett. • 144. Syngonanthus gracilis (Koern.) Ruhl. 145. Polygala variabilis HBK., forma typica Blake 147. Polygala scoparia HBK. 147. Hyptis sp. (too poor) 148. Buchnera lithospermifolia HBK. 149. Hyptis verticillata Jacq. 150. Andropogon virginicus L. • 151. Burmannia capitata Mart. .152. Schultesia guianensis (Aubl.) Malme. 154. Mimosa somnians H.&B. (no label) Myrica xalapensis HBK. Sida acuta Burm., var. carpinifolia (L.) K. Schum. Syngonanthus gracilis (Koern.) Ruhl., var. Koernickeana Ruhl. 155. • 157. 158. Blepharodon mucronatum Dene. 159. Nepsera aquatica (Aubl.) Naud. 160. Diodia teres Walt. 161. Clidemia neglecta D. Don -162. Bacopa decumbens (Fernald) Greenman • 163. Apteria setacea Nutt. 165. Utricularia juncea Vahl. 166. Psychotria inundata Benth. 167. Stylosanthes guianensis Sw. 168. Tamonea spicata Aubl. •170. Cassia diphylla L. 172. Ichnanthus pallens (Sw.) Doell. 173. Pavonia rosea Schlecht. 174. Chrysobalanus Icaco L. 176. Cassia Tagera L. 178. Hyptis capitata Jacq. 180. Borreria rhadinophylla Robinson, n. sp. Erisema diffusum G. Don. 183. 184. Mimosa pudica L. 185. Jacquinia aurantiacta Ait., var.

186.

-187.

Stachytarpheta jamaicensis Vahl.

Physalis Lagascae R. & S.

189. Solanum nigrum L. 190. Diodia sarmentosa Sw. 191. Hemidiodia ocymifolia (Willd.) K. Schum. 195. Panicum maximum Jacq. 196. Nectandra pichurim (HBK.) Mez. 197. Lasiacis Grisebachii (Nash.) Hitchc. Aphelandra pectinata Willd. 198. Spigelia Anthelmia L. 200. Allophyllus cominia (L.) Sw. 204. Cassia bacillaris L. f. ? 207. Cuphea balsamona Cham. & Schl. 209. Phyllanthus 210. • 211. Stylosanthes viscosa Sw. 212. Oldenlandia herbacea (L.) Roxb. · 213. Hibiscus australis Rose • 214. Anacardium occidentale L. 217. Erechtites hieracifolia (L.) Raf. 220. Lindernia diffusa (L.) Wettst. Utricularia macerrima Blake, n. sp. 222. 222a. Eragrostis Elliottii Wats. • 225. Mitracarpus hirtus (L.) DC. 227. Coccocypselum guianense (Aubl.) K. Schum. 229. Lucuma mammosa (L.) Gaertn. 232. Aeschynomene americana L. 233. Cordia (Too immature for determination) = Gouania 234. Polygala Vogtii Chod. 235. Utricularia aureola Blake, n. sp. • 238. Clibadium arboreum J.D.Sm. 240. Triumfetta semitriloba L. 242. Polygala paniculata L. • 243. Sida linifolia Juss. \$244. Mikania scandens (L.) Willd. \$246. Mimosa asperata L. • 248. Paepalanthus Lamarckii Kunth. . 249. Rhizophora Mangle L. •252. Cardiospermum grandiflorum Sw., var. elegans (HBK.) Radlk. Ischaemum latifolium (Spreng.) Kunth. 254. 255. Coccoloba marginata Benth. • 256. Zornia diphylla (L.) Pers., var. gracilis (DC.) Benth. 260. Buettneria carthaginensis Jacq. • 261. Tournefortia bicolor Sw. . 263. Stemodia pusilla Benth. Symplocos martinicensis Jacq.? 264. Wissadula periplocifolia (L.) Presl, var. guatemalensis (E.G.Baker) 266. 267. Calea Zacatechichi Schlecht., var. rugosa (DC.) Robinson & Greehman 268. Tephrosia nitens Benth. forma ? 270. Doliocarpus dentatus (Aubl.) Standley 271. Panicum cyanescens Nees 272. Solanum torvum Sw. 273. Mimosa paniculata Benth. Probably a mistaker no. See Pecks field notes 274. Utricularia gibba L. 275. Amphilophium paniculatum HBK. 276. Manettia cuspidata Bert. 277. Bidens pilosa L. 278. Odontonema paniculiferum Blake, n. sp. 279. Panicum pulchellum Raddi 281. Miconia argentea DC. 281a. Eragrostis aff. acutiflora (HBK.) Nees. 282. Andropogon domingensis (Spreng.) Hubbard, n. comb.

-283.

Elephantopus mollis HBK.

```
284.
        Perymenium Peckii Robinson, n. sp.
₫ 285.
        Aeschynomene brasiliana (Poir.) DC.
 • 287.
        Elephantopus spicatus B. Juss.
 288.
        Desmodium barbatum Benth.
 289.
       Cassia stenocarpa Vog.
  290.
        Iresine paniculata (L.) Ktze.
  293.
        Priva lappulacea (L.) Pers.
. 295.
        Stemodia parviflora Ait.
  296.
        Leptochloa filiformis (Lam.) Beauv.
        Tibouchina longifolia (Vahl) Baill.
  298.
  299.
        Hyptis capitata Jacq.
  300.
              pectinata (L.) Poit.
• 301.
        Eupatorium pycnocephalum Less.
· 304 .
        Erigeron bonariensis L.
        Schwenkia americana L., var. angustifolia Schmidt.
• 307.
- 307a.
                  angustifolia Benth.
• 308.
        Mikania leiostachya Benth.
• 310.
        Corchorus siliquosus L.
. 311.
       Ocimum micranthum Willd.
  312.
        Ichnanthus pallens (Sw.) Doell.
  314.
        Panicum trichoides Sw.
• 315.
        Mikania cordifolia Willd.
• 316.
        Pterolepis trichotoma (Rottb.) Cogn.
 317.
       Panicum fasciculatum Sw.
· 318.
        Schultesia Peckiana Robinson, n. sp.
• 319.
        Hydrolea spinosa L.
 320.
       Millspaughia leiophylla Blake, n. sp.
. 321.
        Hypericum styphelioides Rich.
· 323.
        Vincetoxicum dasystephanum Blake. n. so.
• 324.
        Solanum Donnell-Smithii Coult.
· 327.
       Blechum Brownei Juss.
328.
       Asclepias curassavica L.
329. ■
        Cordia riparia HBK.
Lepidagathis alopecuroidea R. Br.
 331.
       Piriqueta cistoides (L.) Mey.
       Eupatorium odoratum L.
• 332.
 333.
       Linociera domingensis (Lam.) Knobl.
 334.
        Inga punctata Willd.
 339.
        Roupala complicata HBK.
 341.
        Casearia sylvestris Sw.
 343.
       Inga leptoloba Schlecht.
 344.
       Combretum farinosum HBK.
345.
       Acacia spadicigera Cham. & Schl.
346.
       Trichilia havanensis Jacq.
 347.
        Stachytarpheta dichotoma Vahl.
 348.
       Hirtella americana L.
 349.
        Oplismenus Burmannii (Retz.) Beauv.
       Vernonia Poeppigiana DC.
• 350.
. 351.
       Dicliptera assurgens (L.) Juss.
 352.
       Cupania americana L.
• 353.
       Mikania punctata Klatt.
• 355.
       Typha domingensis Pers.
 356.
       Borreria ocymoides (Burm.) DC.
. 357.
       Neurolaena lobata (Sw.) R. Br.
 359.
       Arundinella Deppeana Nees.
 360.
       Diodia maritima Thonn.
• 363.
       Aeschynomene paniculata Willd.
- 364.
       Schwenkia hirta Klotzsch,
 367.
       Chrysobalanus Icaco L.
 368.
```

- 370. Heliotropium indicum L. 371. Utricularia Peckii Blake, n. sp. 372. Evolvulus sericeus Sw., var. glaberrimus Robinson, n. wav. 374. Inga vera Willd. 376. Pithecolobium sophorocarpum Benth. 380. Mikania punctata Klatt. . 381. Houstoniana (L.) Robinson • 382. Vernonia Schiediana Less. 334. Cephaelis glomerulata J. D. Sm. 386. Hippocratea 388. Petraea arborea HBK. • 390. Bucida Buceras L. 393. Ficus • 394. Thyrsacanthus callistachyus (Cham. & Schl.) Nees. • 395. Pluchea purpurascens DC. 397. Bignonia laurifolia Vahl? 397a. Pisonia aculeata L. (= 397 in part) • 398. Eclipta alba (L.) Hassk. 399. Avicennia nitida Jacq. • 400. Sloanca sinemariensis Aubl. 403. Posoqueria latifolia (Lam.) R. & S. . 404 . Stemodia maritima L. • 405. Cynanchum palustre (Pursh) Heller 406. Clidemia rubra Mart. • 409. Monogramma linearifolia Desv. 413. Eragrostis hypnoides (Lam.) BSP. 417. Angelonia ciliaris Robinson, n. sp. 417a. Schwenkia oxycarpa Robinson, n. sp. • 421. Lysiloma latisiliqua (L.) Benth. • 423. Lippia betulaefolia HBK. 425. Panicum chrysopsidifolium Nash. 428. Serjania . 430. Jacobinia scarlatina Blake, n. sp. • 436 . Melanthera deltoidea Michx. 438. Bacopa Monnieria (L.) Wettst. 439. Cocoloba uvifera Jacq. • 440 . Solanum rostratum Dunal. • 441. Heliotropium phyllostachyum Torr. • 442. Dracaena americana Donn. Sm. 444. Phoradendron latifolium Griseb. • 445. Coffea arabica L. · 447. Henriettea succosa (Aubl.) DC. 448. Cestrum nocturnum L. 449. Chiococca alba (L.) Hitchc. • 450. Forsteronia viridencens Blake, n. sp. • 451. Lobelia sphendens Willd. • 452. Sida ciliaris L. . 453. Lisianthus axillaris (Hemsl.) Perkins 453a. Panicum fusiforme Hitchc. .. 456. Hippocratea subintegra Blake, n. sp. 459. Amaioua corymbosa HBK. 460. Xylopia frutescens Aubl. 462. Alibertia edulis A. Rich. • 463. Ecastophyllum Brownei Pers. 464. Axonopus laxiflorus (Trin.) Chase
- 474. Ruppia maritima L., var. longipes Hägstrom
 477. Paullinia pinnata L.
 479. Eupatorium macrophyllum L.

Psychotria inundata Benth.

465.

- 6 481. Sabicea aspera Aubl. . 482. Cordia diversifolia Willd. *485. Physalis ixocarpha Brot. r 486. Pterocarpus Draco L. • 488. Amaranthus gracilis Desf. 489. Stachytarpheta cajannensis Vahl. 491. Setaria imberbis (Poir) R. & S. 492. Diodia sarmentosa Sw. 495. Lundia dicheilocalyx Blake, n. sp. 496. Inga multijuga Benth. • 500 . Cissus rhombifolia Vahl. 502. Utricularia juncea Vahl, forma minima Blake, n. f. • 505. Passiflora Brighami Wats. **506.** Baccharis rhexioides HBK. 507. Lithachne pauciflora (Sw.) Beauv. 508. Merinthopodium leptesthemum Blake, n. sp. 511. Inga spuria Willd. 512. Begonia scandens Sw. • 513. Drymonia spectabilis Mart. 517. Xiphidium albidum Lam.? · 518. Conostegia Oerstediana Berg. • 525. Cirsium mexicanum DC. • 529. Polypodium lycopodioides L. 530. Phoradendron latifolium Griseb. Olyra latifolia L., forma 533. • 535. Adiantum pulverulentum L. • 536. Bacopa rotundifolia (Michx.) Wettst. • 538. Nephrolepis cordifolia (L.) Presl. 541. Paspalum orbiculatum Poir. 542. paniculatum L. • 543. Indigofera Anil L. • 544. Jussiaea erecta L. **1**. 546. Bacopa decumbens (Fernald) Greenman • 547. Schistocarpha paniculata Klatt 548. Conostegia xalapensis D. Don. • 551. Chenopodium ambrosioides L. 552. Eranthemum tetrasepalum Blake, n. Sp. 553. Nectandra panamensis Mez? 557. Solanum nudum HBK. 560. Arundinaria ? (No inflorescence) 562. Spilanthes americana (Mutis) Hieron. 564. Phyllanthus Panicum (Ptychophyllum) crus-ardeae Willd. 565. • 567. Citharexylum hexangulare Ereenm. 568. Malpighia glabra L. 571. Bacopa procumbens (Mill.) Greenman Inga punctata Willd. (No label) 572. Scutellaria purpurascens Sw. • 573. Achimenes pulchella (L'Hér.) Hitchc. 574. Nectandra pichurim (HBK.) Mez. 585. Solanum Peckii Blake, n. sp. • 587. Mimosa albida HBK., var. floribunda (Willd.) Robinson 588. Panicum Rudgei R. & S. 589. Lantana hirsuta Mart. & Gal. • 590. Crotalaria maypurensis HBK. 593. Lasiacis sp.
 - 601. Trichomanes 603. Cassia stenocarpa Vog.

Zexmenia costaricensis Benth.

Lygodium heterodoxum Kze.

Lonchocarpus rugosus Benth.

• 596.

• 599.

• 600.

4 606. Malachra capitata I. 4 607. Hyptis brevipes Poit. • 608. Lygodium venustum Sw. 609. Olyra latifolia L. 611. Dryopteris Cheisbreghtii (Linden.) C. Chr. • 614. Chaptalia nutans (DC.) Hemsl. • 615. Dictyoxiphium panamense Hook. 618. Sida paniculata L. 621. Gouania lupuloides (L.) Urb. 622. Clidemia septuplinervia Cogn. 622a. Diclyptera magniflora Blake, n. sp. • 625. Vittaria lineata (L.) Sw. . 627. Asplenium abscissum Willd. . 629. Blechnum serrulatum Rich. • 630. Malachra radiata L. 631. Bixa orellana L. • 632. Acacia bucerophora Robinson, n. sp. 633. Serjania • 635. Polypodium fallax Sch. & Cham. · 636 · serpentinum Christ. 637. Panicum trichodes Sw. 640. Psychotria uliginosa Sw. 641. Asplenium • 642. Dryopteris tetragona (Sw.) Urb. mollis (Jacq.) Hieron. • 643. . 644. Luhea Seemanni Triana & Planch. • 646. Bauhinia divaricata L. • 647. Polypodium polypodioides (L.) Watt. • 648. Adiantum ohliquum Willd. Blechnum occidentale L., var. Streptochaeta Dodiroana Hackel. 649. 652. 653. Manisuris granularis (L.) Sw. 654. Clidemia brachystephana Triana, var. longidentata Cogn. 655. Asplenium auritum Sw. • 660. Vittaria angustifolia (Sw.) Baker · 661. Dryopteris bullata (Christ) C. Chr. Cyclopeltis semicordata (Sw.) J. Sm. • 662. · 663. Passiflora choconiana Wats. 667. Cupania 668. Eupatorium Pittieri Klatt, var. ? 669. Calopogonium caeruleum Desv. 670. Protium Copal (Schl. & Cham.) Eng. • 673. Mikania olivacea Klatt. Inga Peckii Robinson 674. Clidemia hirta D. Don. • 677. Lindsaea elegans Hook. * 679. Jussiaea nervosa Poir. 680. Paspalum pectinatum Nees. 681. Panicum stenodoides Hubbard, n. sp. 682. Mimosa somnians HBK. 684. Aeschynomene paniculata Willd. · 688. Cassia rotundifolia Pers. - 689. Curatella americana L. 691. Drosera capillaris Foir. 694. Sporobolus cuhensis Hitchc. 696. Mandevilla denticulata Blake, n. sp. • 697. Schizaea elegans (Vahl) Sm. • 698. Trichomanes crispum L. 699. Clidemia capitellata D. Don 701. Miconia albicans Triana 703. Tripsacum dactyloides L.

707. Dryopteris 709. Psychotria marginata Sw. 711. Arthrostemma fragile Lindl. 715. Uncaria tomentosa (Willd.) DC. 718. Hebanthe Hookeriana Hemsl. 719. Linociera oblanceolata Robinson, n. sp. 721. Pithecolobium hymeneaefolium (H. & B.) Benth. 722. Dianthera Peckii Blake, n. sp. 723. Tournefortia glabra L. 727. Connarus lonchatus Blake, n. sp. 726. Uncaria (too young 726. Pisonia aculeata L. ? 730. Bravissia proxima Blake, n. sp. • 731. Adiantum tenerum Sw. 735. Arundinella Deppeana Nees. 736. Clematis sericea HBK. 737. Nectandra sanguinea Rottb. 738. Pithecolobium Peckii Blake, n. Sp. 740. Erigeron bonariensis L. • 741. Lobelia Cliffortiana L. 742. (too immature) Rolandra argentea Rottb. 743. Cestrum nocturnum L. - 744 . Combretum Jacquinii Griseb. 749. Jatropha urens L. 752. Calliandra portoricensis (Jacq.) Benth. 756. Bumelia megaphylla Blake, n. sp. 759. Hygrophila guianensis Nees 760. Aeschynomene Selloi Vog.? 761. Solanum sideroxyloides Schlecht. 764. Phaseolus lunatus L. 766. Phytolacca octandra L. 769. Paspalum caespitosum Fluegge 774. Wedelia paludosa DC. 775. Panicum tricanthum Nees. 776. Miconia impetiolaris D. Don 777. Nephrolepis biserrata (Sw.) Schott. 778. Jussiaea affinis DC. 779. Cordia alliodora (R. & S.) Cham. 780. Louteridium Donnell-Smithii Wats. 782. Isotoma longiflora Presl. 784. Ochroma Lagopus Sw. 786. Thyrsacanthus callistach yus (Cham. & Schl.) Nees. 787. 788. Cassia reticulata Willd. 791. Passiflora serratifolia DC. . 792. Liabum andromachioides (Less.) Hemsl. 793. Ficus 794. Pithecolobium arboreum (L.) Urb. • 797. Vernonia patens HBK. 798. Lippia geminata HBK. • 799. Paullinia scarlatina Radlk. 801. Gaurea 802. Miscantheca cf. Jungensenii Mez. 803. Psychotria glabrata Sw. 806. Hydrolea spinosa L. Thevetia ahouai (L.) A. DC. 807. 808. Solanum cf. triste Jack. • 810. Passiflora laurifolia L. 813. Cissus sicyoides L. 815. Entada scandens (L.) Benth.

```
9
 · 817.
        Begonia pruinata A. DC.
  818.
        Asplenium
  819.
 · 820.
        Polypodium Plumula H. & B.
  821.
         Vincetoxicum cteniophorum Blake, n. sp.
  824.
        Phoradendron crassifolium Eichl.
  827.
        Bixa orellana L.
  829.
        Pithecolobium Peckii Blake
  830.
         Eranthemum adenocarpum Blake, n. sp.
  831.
        Erythroxylon lucidum HBK.
  835.
        Xiphidium albidum Lam.?
 • 840.
        Eupatorium araliaefolium Less.
  841.
        Ocotea sp.
 • 844.
        Allophyllus occidentalis (Sw.) Radlk.
 · 846.
        Dalechampia scandens L.
 ▶ 847.
        Calea axillaris DD., var. urticifolia (R. Br.) Robinson & Greenman
  849.
        Polygonum acre HBK.
 • 850.
        Jussiaea repens L.
 • 851.
        Aeschynomene sensitiva Sw.
 • 852.
        Alternanthera polygonoides (L.) R. Br.
  853.
        Microtea debilis Sw.
  854.
        Phyllanthus
        Strychnos Peckii Robinson, n. sp.
  856.
  858.
        Licania sparsipilis Blake, n. sp.
  859.
        Tibouchina longifolia (Vahl) Baill.
  863.
        Buddleia americana L.
                                                Combretum Aubletii Robinson
  870.
       Aciotis paludosa Triana
       Ruellia obtusata Blake, n. sp.
  871
  873.
        Piptocarpha costaricensis Klatt
  875.
       Polymnia maculata Cav.
  876.
       Hirtella
 1878.
        Vismia ferruginea HBK
 880.
        Combretum mexicanum H. & B.
  885.
        Mouriria parvifolia Benth.
  888.
        Psychotria grandis Sw.
 893.
       Rourea glabra HBK.
 1894.
        Calomba aquatica Aubl.
897.
        Teucrium inflatum Sw.
• 898.
        Bignonia aequinoctialis L.
  900.
        Aeschynomene tenerrima Robinson, n. sp.
  901.
        Sacciolepis vilvoides (Trin.) Chase
 904.
       Hyptis lappacea Benth.
  908.
       Polygala hygrophora HBK.
  912.
        Vochysia guatemalensis J.D.Sm.
  914.
        Conostegia Oerstediana Berg.
  915.
        Mapouria alba (Ruiz & Pat.) Muell. Arg.
        Basanacantha. spinosa (Jacq.) K. Schum.
  916.
  917.
        Tabebuia leucoxyla (Vel.) DC.
  918.
        Parathesis crenulata Hook. f.
  919.
        Bignonia dasyonyx Blake, n. sp.
  922.
        Passiflora foetida L.
  923.
       Miconia lacera Naud.
  924.
       Serjania ?
• 927.
        Zexmenia scandens Hemsl.
• 928.
       Dryopteris obliterata (Sw.) C. Chr.
> 929.
                   paucijuga (Kl.) C. Chr.
930.
                   mollis (Jacq.) Hieron.
```

→ 931.

Asplenium auritum Sw.

- * 932. Ilysanthes anagallidea (Michx.) Robinson
- 936. Schizaea Germani (Fée) Prantl
- · 938. Cassia Tora L.
- 939. Terminalia obovata (R. & P.) Steud.
- · 940. Asplenium serratum L.
- 943. Eryngium Carlinae Delar.
- 945. Sparganophorus Vaillantii Crantz 946. Borreria ocymoides (Burm.) DC.
 - 947. Elaphoglossum sp.
 - 950. Acisamthera limnobios Triana, ex char.
 - 950a. Chamissoa altissima HBK.
- 951. Polypodium crassifolium L. G. Mett.
- 953. Belandra concolor Blake, n. gen. & sp.
- 956. Valeriana scandens L.
- 957. Anemopaegma balizeanum Blake, n. sp.
- 959. Mapouria alba (Ruiz & Pav.) Muell. Arg.
 - 960. Dodonaea viscosa L.
 - 961. Cassia flexuosa L.
 - 963. Pachylobus palmatilobus (Moc. & Sess.) Benth. & Hook. f.
 - 968. Allemanda cathartica L. 970. Paspalum paniculatum L.
 - 972. Polypodium serrulatum Sw. Polypodium caucanum Hieron.
 - 976. Biophytum dendroides (HBK.) DC.
 - 977. Clethea macrophylla Mart. & Gal.
 - 979. Dianthera pectoralis J.F. Cmel.
 - 980. Lindernia diffusa (L.) Wettst.

Without number

Russelia sarmentosa Jacq.

Calliandra tergemina (L.) Benth.

Trianthema portulacastrum L.

Pithecolobium insigne Michele

Oxalis Neaei DC.

Russelia sarmentosa Jacj.

Calliandra tergemina(L.) Benth.

123 567891111 1 11-11222223 2222222 22222 23333333333
1234567890123 56 890 23 4 67890123 56 789 123 44 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
222 34 222 23 4 5 4 5 4 5 4 5 4 5 4 5 5 5 5 5 5 5 5
33 33 333 333 333 333 333 333 333 333
421
55519 55
66666666666666666666666666666666666666
723 724 726 727 729 729 730 731 732 733 735
8 5 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
999999999999999999999999999999999999999

The Hop British Honduras.

555 5 6 6 6 6 6 6 6 6 6 6 6 6 7 7 7 7 7
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
101234567 9013 4567890123 56678912 4567890 666666666666667777777990123 56678912 4567890
583 583 584 586 587 588 589 590 593 594 599 600
663 663 664 665 666 669 670 671 673 674 677 677
7553456789012 4- 77777777777777777777777777777777777
3723456 89000000000000000000000000000000000000
999955599999999999999999999999999999999

5402 8991 654V 20520 7442 1684 3100 4332 4464 5414 7391 8782 278 ~ 67HV 9452 1994 42032 322/ 537 634 ~ 8734 41207 L 72 7V 323 2 1372 2,53 V 9444 87752 7160 2,552 324 -6350 1334 42.94 5291 9434 3772 636 V 7172 H225L 136V 5672 25434 94204 3900 8912 7194 1320 569V 42e51 673V 2434 8744 9414 1382 571V 622 V 7150 3644 465 L 7482 16HV 542V 8900 9454 2400 AIHL 640V 363 4 2634 538V 889V 7520V 9394 1442 3620V 413V 6374 クサコレ 893V 1500 2056V 4116 6282 3614 5652 736V 9374 8842 1572 353 V 4592 2066 6 543~ 7200 627V 885-9364 163~ 545 3520 4712 426V 935 4 2572 610V 8964 150.2 4582 549V 7242 3662 600 863V 154.4 9344 4672 5634 3674 1556 9334 2814 603V 8092 5782 7234 368 4 4700 2000 7180 156V 9324 605V 864V 4476 1512 9312 2302 3272 5250 601V 865V 721V 1294 4265V 32.50 519V 20322 7304 750V 607V 866V 12084 360V 464V 513V 223 4 9294 3582 6000 751V 8700 1207V 4542 2281 5462 9284 3884 622V 749V 8681 131 -4486 24.202 9271 1304 クムウレ 37.14 6512 453. 5120 2292 9264 516V 72.9V 869 V 1162 3871 682V 451V 233V 9251 596V 511V 803V 120201 332 6812 4632 20112 924r 12032 7000 8352 38H V 6920 L 4614 2241 51000 1154 1761V 623V 3502 830V Hepl 226V 660V 789V 1134 3382 8422 460 -2252 647L 826V 1034 7260 4564 346V 91 2222 78H~ 46206 124-8952 39200 6HHV 2344 7960 4502 3736 1000 820 DOV 609V 2311 7811 1042 HH9V 8012 3820V 6 1317 2382 199V 4036 3720 2832 611V 8320 3702 418 2 2902 1014 63202 3342 8021 1660 4172 60 HV 8291 3332 1800 473V 2882 621V 474 Name and Address of the Owner, where the Parket 3856 1892 289 2 376V 1832 4760 30.62 2844 4052 178V 20911 300V 475V 28 V 2099 4 2466

602v 7380 4864 8270 209.2 69V 135V 502V 3932 20742 9111 653V 860V 6 25 5664 6450 54V 12.6V 239V 342V 91200 792V 4872 836V 594V 36V 3400 197V 662V 913V 7450 2032 592V 320 839V 144 3864 1394 66 IV 914V 915V 2015V 4896 7:70 847V 170 590V 646 144 296V 8461 4911 768 V 6 7V 589V 470 3024 1814 916V 2 2 2 663V 4776 576V 7691 57V 397~ 9177 694 6 H 20L 107V 8HOV 280V Hayr 575V 770V 59V 643V 3371 204 1832 5-74~ 828V 4920 260V 791V 919V 314 ~ 6520V 是サレ 2174 786V 1541 820V 2020 4119V 920V 304V 6500 8341 5 626-7872 20 5 7 68 11202 921+/ 2192 495 -5.88r 666V 344V 8201V 911 19V 1692 7120 9224-4942 573V 64 IV 369V 2412 8237 923V 94V 203V 7742 669V 1864 480V 5 5 2V 345V 2049V 2057 900V 780V 314 481V 558V 668V 1752 3482 825 V 227V 902 4820 Y 574V 593V 9012 706V 648V 1780 461 380V 8241 はきサリン 4852 787 936 902N 649V 704V 3182 1HIV 84.1V 80 14V 4994 5500 705T 903V 3550 2020 614V 898 160V 見のカレ 544V 896 90 HV 33-7750 142 335 V 587V 669V 861V 734 20700 905V 710V 872V 755V 336 V 557V 1650 626V 846 2750 9066 581V 102 6784 3300 4000 711V 8634 161V 9077 2HV 559V HV 2074V 329 V 61.20 1584 793V 849V 5552 4420 206V 638V 2934 328V 848V 707V 909V 554V 8201 409V 1872 120 6866 2952 3311 551V 851V. 910V 4500 701V 696V 457V 298V 54.8V 1842 8500 346V 852 980V 7782 6982 585V 806V 4692 3812 9792 29HV 1742 834 703V 618V 8434 586V 349~ HHHV 977v 2820 1 1720 871 709V 553V 579V 619V 4520 2014 379-976V 1020 201V 806 616V 730V 5-47V 568V 437V 8874 750 3~ 1100 209V 3172 7350 975V 695V 4450 3542 482 1184 711 69HV 20072 8715 974 ~ 731v 580V 4201 740 1200 617V 7332 8461 973V 4020 394 560V 0010V 3952 8561 164 699 V 1111 972V 584V 444 359V 359V 421V 8081 759V 1192 273V 697V 971V 7202 529V 424 4120 756V 109 20162 882 583V 6844 758V 970 V 9 20 8887 80H1 496V 313V 198= 969v 968v 201192 994 599V 6850 757V 3120V 4834 612 2 50 -1964 532V 683V 771V 91 8534 632 399V 1952 2,932 HOIV = 31× 6.93V 955V 967V 382 3762 164 6800 7542 2261 404× 8 5 20V 1944 524V 0791 966V 60 L 772V 182 1772 00 de 1 . 523V 21111 608V 284 760V 9657 コイサレ 520 V 442 753~ 308V 92V 964V 5150 6777 809V 201200 7374 356V 4534 934 963V 514V 505V 819V 2013 V 1474 4412 303V 7900 962V 818V 143-2 307V 4432 401 217V 508V 792V 815V 961 V 6555 HIOV 512 1492 506V 301V 2452 816V 629V 426V 342 2512 311V 50PW 63 IV 1720 732V 959V 458V 8114 408V 3952 501V 2721 7820V 63 OV 813V 56V 1700 4070 32012 5011 6331 762V 532 20691 957V 8371V 17.62 688V 3512 4161 50HV 764 V 8318 261/ 956V 689V 10.62 765V 320V 440V 503V 9550 691V 3192 4392 509V 143V 8 1 2V 173V 664 20714 673V 431V 3184 7020V 954V 528V 77V 65セ 810V 167V 670V YTTY 2, 1+52 317V 428V 5000 8797 671Y 953V 17.12 316 V 5171 7882 436V なりない 952V 675V 50V 1904 3150 982 539V 773V 42040 6760 1912 95N 2037 5304 343V 766V 881V 431V 664× 947 19,00 883V 3471 5334 779V 80 6 V 337/ 5337 880V THOY 63/V 4381 159V 20641 950V 624V 741 876V 536V

	637 6336 6336 6336 637 628 627 610 603 601 600 622 651		m. E. Pech

numbers without plants.

		656
4.	303	657
13.	305	658
15.	309	659
30	326	672
33	366	
37	378	687
52	389	690
58	392	708
81	416	713
95	419	714
114	435	750
117	446	763
121	472	783
125	484	785
134	490	795
140	493	805
142		814
153	510	833
182	520	844 845
193	522	857
205	524	862
206	527	874
216	556	892
218	561	949
236	570	978
247	582	718
259	591	
· ·	595	
262	597	
265	598	
286	620	

Two plants for each number. 3 950. 69. 307 93. 417. 154. 172. 183. 198. 222 271. 293. 307 318. 383. 397. 417. 425. 442. 453. 466. 476. 492. 502. 518. 571. 585. 631. 673. 728. 846. 863. 884. 897.	nolabele, 14. 135. 26 2220. 293 25 3070. 894 41 88. 496. 357 267. 541. 479 267. 543. 699 396. 590. 198 410. 609. 498 418, 621. 369 517. 632. 160 519. 599. 604. 796 611. 799. mon 615, 800 623. 801 635. 802 644. 822 647. 826 647. 826 649. 832 706. 835 726. 869 738, 876 738, 894 749, 895: 761 905: 716. 911 781 784 789	
922.	787	

a cops of the list of Peck's plants is descred Kew Mailed nov. 30, 1926

mailed hiv 20'24 Specimens desired on loan to Ken Herbarum (2) I sheet presented to Kew (3) Typescript lest desired

Peck Hondrivas Das Botanisde hureum Brolin-Deblem wielst folgende Nummern.

			, ,
201 "	2514	293 ª) Norman 293 b) wording	~ 213 ist 3351
202.	252"	213 6 Journalise	elene Pflanens j. 336.
203.	253.	294,	~397.
204*	254.	295	338.
204.	255	216,	339.
208'	256.	294.	£ 340.
209.	254.	298 .	34/ .
210-	258. [2 verses	hiedene 299.	× 342.
211.	258. 2 Verses	er Nummer 300,	- 343,
212.	259.	3011	-344.
213 -	260	~ 302°	345.
214,	261, ?	303.	~ 346.
217.	264.	304.	348.
219.	266 .	306 *	349.
220.	264.	3041	35/1
222-	268.	308.	352.
223-	269.	318.	353
224.	240-,	311.	554.
226.	271.	312.	355,
227.	242.	3/3.	356m
228.	273.	314.	354.
229.	244. note?	915-	358.
230-	275.	316,	359.
231.	276.	314.	360.
232-	277.	9181	361.
293.	238	3/9 -	362 .
234.	279.	3201	363.
235.	280.	321.	364 .
237.	280.	322.	365.
240.	282.	323.	366.
241.	284.	324.	36%
242	2851	325.	368.
243	286.	3211	370.
244	287,	928.	37/.
245	. 288.	See 329.	373.
247.	× 289 ·	330	374"
248.	290*	33/.	375,
2491	~ 29/.	333'	376.
2500	292.	3341	347.

				545	628 *			
9 M A .	110 = 9.) die No. 42	5 int	544	5461	629	£ 4/4	V	
379.	425 4) die No. 42 425 b & recimal w	whauder	524,	54.7	630	679.	424.	•
381.	426 "	475.	525 5280	578	63/	680.	728.	
1831		476		5-49.	632.		729-	1
	424.	4471	529.	580 ·		682.		
384.		478.	530,		634.	683.	43/ .	
385.	430 1	478.	531.	584. 585.	636 ° 634 •	685.	732 .	
386		480,	532			686.	793.	
387 · 388 ·	43/ *		5931	5861	638	688.	734 ×	
	432.	481.	534.	58%	639	689.		a 1999
390.		482.	5350	588.	640-	6910	436 1	•
391. 392.	434.	483.	536.	589.	641.	692	799	
393.	436 -	485.	538.	590.	643'	693	438	
	438. Pflaure mit a 439. Hundley mit a	486 .	539 .	592,	644.	694,	439.	
3941		484) 488 ·	4540.	593.	6457	695,	440.	
395	440-,	489,	~542,	594.	646 1	696.	741 .	
396 .	441.	492.	543.	599.	6441	697-	742	
399,	442.	4941	544.	600,	648.	698	744.	
398.	443.	495.	545.	601.	649.	691	748.	
399.	444.	4961	546.	60-21	650.	700.	449.	
400.	445.	494.	544.	603.	651	yoi.	1501	,
4010	448.	498.	548.	6040	652.	402.	451,	
402.	449.	500.	549.	605.	653.	703.	752 .	
403-	450	501.	550.	606.	654.	404.	454.	
404.	452°	502.	551.	604.	655.	705	756.	
405.	453 to 2 x workoude	503.	5\$2.	608.	660	706.	456,	
406.			553,	609.	661.	707.	4591 1 mt 458	ist
40%.	454.	505.	554.	. 611:	662	409·	458 £] 2 x vorts	anden
408	4551	506.	5551	612:	663,	410.		
4100	456,	507.	556.	613.	6641	411+	759.	
411.	457.	508.	558.	614.	665.	712+	460,	
412+	458.	509.	5590	615.	666 .	415.	461.	
4/3.	459.	510.	560.	616 *	667.	116'	462.	
414.	461.	5//•	562.	1614	668.	. 414.	166.	
4157	462.	512'	564.	6181	669.	718.	764.	
4/6.	463.	5/3 2 / 2 verschie	cline Alay 5650	619.	7640-	719.	768.	
414.	464.	513 & Vienn		621.	6711	420.	769.	
418.	465. 467.	574.	56%.	622.	6731	42/	440.	
4/9.		575	568.	<i>623</i> ·	674.	422'	4711	
420.	463.	518.	54/ 2 / No. 54/ is	V.	675	423.	772.	
42/	469+	519'	377	021	6761	124.	443.	
422	470.	521.	543.	626	644.	425	474.	
4245	471.	523.	574.	627.	678	726.	775.	

	do .	9 to to .	
	830, 831,	888.	4600
776.	834.	~889·	961,
477,	8361	892,	963 .
448.	- 838 .	893.	964 •
499.	839 .		965.
780	840	894.	
4811	841.	895.	942.
482'	847	896 .	- 943,
784.		894.	944,
486.	~8 44°	898.	977
	846.	899.	949
789.	844.	900 .	980
4901	848.	901.	•
792'	849 •	902.	,
793 ·	850.	908.	1912
494.	851.	909.	
796.	852.	910.	
494.	853.	911 "	
798.	854	9121	
711.	856.	913.	
805.	858,	915,	
8010	859.	914.	
802.	860.	918,	
809.	861,	919.	
804.	863.	920.	
806.	864.	921.	
807.	865.	922.	
808.	866 .	123:	
809.	864.	924 .	
811.	811.	926	
8121	872'	924 r data	
813	843 -	930	
815-	845.	933.	
816.	876.	935.	
818.	897.	937.	
8191	878.	939.	
821.	879.	940'	
822 .	880.	941.	
823.	881.	943.	
824.	882.	944.	
825.	883.	945	
826.	884.	946	
827-	885'	951	
828.	~886, ~887.	955	
829.	00/	959	